

| L Number | Hits | Search Text | DB | Time stamp |
|----------|---------|--|---|------------------|
| 1 | 4 | ((("5801979") or ("5497153"))).PN. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 13:54 |
| 2 | 6 | "9510913" | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 13:58 |
| 3 | 485 | (read\$4 or input\$4) adj2 (two or "2") adj3 (coefficient or item or data) with (parallel\$4 or simultaneous\$2 or "same" adj1 time) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:54 |
| 4 | 802 | run with (number or length) with (zero or "0") with count\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:01 |
| 5 | 35998 | (run or number or length) with (zero or "0") with count\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:53 |
| 8 | 3372 | ((run or number or length) with (zero or "0") with count\$4) same (speed or fast\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:03 |
| 9 | 990 | ((run or number or length) with (zero or "0") with count\$4) with (speed or fast\$2) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:03 |
| 10 | 0 | ((read\$4 or input\$4) adj2 (two or "2") adj3 (coefficient or item or data) with (parallel\$4 or simultaneous\$2 or "same" adj1 time)) and (((run or number or length) with (zero or "0") with count\$4) with (speed or fast\$2)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:03 |
| 11 | 47 | ((read\$4 or input\$4) adj2 (two or "2") adj3 (coefficient or item or data) with (parallel\$4 or simultaneous\$2 or "same" adj1 time)) and ((run or number or length) with (zero or "0") with count\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:03 |
| 12 | 1189430 | compression or coding or encoding | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:04 |

| | | | | |
|----|---------|--|---|------------------|
| 13 | 36 | ((read\$4 or input\$4) adj2 (two or "2") adj3 (coefficient or item or data) with (parallel\$4 or simultaneous\$2 or "same" adj1 time)) and ((run or number or length) with (zero or "0") with count\$4)) and (compression or coding or encoding) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:04 |
| 14 | 5310773 | @ad>19980227 not (continu\$6 or provision\$4) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:04 |
| 15 | 34 | ((read\$4 or input\$4) adj2 (two or "2") adj3 (coefficient or item or data) with (parallel\$4 or simultaneous\$2 or "same" adj1 time)) and ((run or number or length) with (zero or "0") with count\$4)) and (compression or coding or encoding)) not (@ad>19980227 not (continu\$6 or provision\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:26 |
| 17 | 165 | ((run or number or length) with (zero or "0") with count\$4) with (speed or fast\$2)) and (compression or coding or encoding) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:27 |
| 18 | 161 | ((run or number or length) with (zero or "0") with count\$4) with (speed or fast\$2)) and (compression or coding or encoding)) not (@ad>19980227 not (continu\$6 or provision\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:27 |
| 19 | 15641 | huffman | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:30 |
| 21 | 15591 | DCT | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:30 |
| 20 | 3 | ((run or number or length) with (zero or "0") with count\$4) with (speed or fast\$2)) and (compression or coding or encoding)) not (@ad>19980227 not (continu\$6 or provision\$4))) and huffman | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:30 |
| 22 | 4 | ((run or number or length) with (zero or "0") with count\$4) with (speed or fast\$2)) and (compression or coding or encoding)) not (@ad>19980227 not (continu\$6 or provision\$4))) and DCT | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:37 |
| 23 | 61486 | half adj3 cycle | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:39 |

| | | | | |
|----|--------|---|---|------------------|
| 24 | 1716 | ((run or number or length) with (zero or "0") with count\$4) and (half adj3 cycle) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:39 |
| 25 | 535 | ((((run or number or length) with (zero or "0") with count\$4) and (half adj3 cycle)) and (compression or coding or encoding) not (@ad>19980227 not (continus\$6 or provision\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:40 |
| 26 | 21 | (((((run or number or length) with (zero or "0") with count\$4) and (half adj3 cycle)) and (compression or coding or encoding) not (@ad>19980227 not (continus\$6 or provision\$4))) and (huffman or DCT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:40 |
| 27 | 550 | (run or number or length) with null with count\$4 | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:54 |
| 28 | 13245 | (read\$4 or input\$4) with even with odd | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:59 |
| 29 | 8841 | ((((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with null with count\$4)) and (compression or coding or encoding) not (@ad>19980227 not (continus\$6 or provision\$4)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:59 |
| 30 | 221715 | (read\$4 or input\$4) with even | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:59 |
| 31 | 20852 | (read\$4 or input\$4) with odd | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 14:59 |
| 32 | 15493 | ((read\$4 or input\$4) with even) and ((read\$4 or input\$4) with odd) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 15:00 |
| 33 | 577 | (((((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with null with count\$4)) and (compression or coding or encoding) not (@ad>19980227 not (continus\$6 or provision\$4))) and (((read\$4 or input\$4) with even) and ((read\$4 or input\$4) with odd)) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 15:00 |

| | | | | |
|----|----|--|---|------------------|
| 34 | 59 | ((((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with null with count\$4)) and (compression or coding or encoding) not (@ad>19980227 not (continus\$6 or provision\$4))) and (((read\$4 or input\$4) with even) and ((read\$4 or input\$4) with odd))) and huffman | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 15:00 |
| 35 | 83 | ((((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with null with count\$4)) and (compression or coding or encoding) not (@ad>19980227 not (continus\$6 or provision\$4))) and (((read\$4 or input\$4) with even) and ((read\$4 or input\$4) with odd))) and DCT | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 15:00 |
| 36 | 39 | ((((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with null with count\$4)) and (compression or coding or encoding) not (@ad>19980227 not (continus\$6 or provision\$4))) and (((read\$4 or input\$4) with even) and ((read\$4 or input\$4) with odd))) and huffman) and (((((((run or number or length) with (zero or "0") with count\$4) or ((run or number or length) with null with count\$4)) and (compression or coding or encoding) not (@ad>19980227 not (continus\$6 or provision\$4))) and (((read\$4 or input\$4) with even) and ((read\$4 or input\$4) with odd))) and DCT) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB; USOCR | 2004/01/08 15:00 |